

REFRESH



LIVEN UP YOUR HOME!

Paints and coatings to renovate your home

REVITALISE YOUR HOME WITH REFRESH

Give the hardest working rooms in your home the refresh they deserve! Specially designed coatings and paints guarantee a quality finish to suit your style. Whether you want to renovate your tiles, splashbacks, floors or radiators, the REFRESH range makes transforming your home simple.

Refresh range allows you to breathe new life into your interiors, inspiring endless possibilities of renovating with its offer of colours, effects and texture. Say goodbye to drab and dated decors, refresh and liven up your home!



REFRESH your kitchen



KITCHEN COATING Concrete Effect

REFRESH your bathroom



4

BATHROOM PAINT Satin BATHROOM COATING Concrete Effect





20

REFRESH

your radiator

36



RADIATORS Satin & Effects

THE HEART OF YOUR HOME IN NEED OF A REVAMP?

0

10





-



REFRESH YOUR KITCHEN SATIN PAINT

Renovate your whole kitchen without needing to pick up a hammer!

REFRESH Kitchen Paint is specially designed to update high-use surfaces such as cupboards, worktops and splashbacks. It has been developed to withstand all that life can throw

at a kitchen including water, stains and grease.

Freshen up a range of materials from tiles through to melamine easily without the need of an undercoat. Renovating couldn't be more simple with our Kitchen Satin Paint.

CUPBOARDS, WORKTOPS & SPLASHBACKS





Available in 12 chic colours in a subtle satin finish, REFRESH Kitchen Paint livens up any style of kitchen.

Get inspired and transform your tired kitchen from drab to fab!



KITCHEN COLOUR CHART













FIND THE PERFECT COLOUR FOR YOU













KITCHEN SATIN PAINT Application tips

Once you have selected your colours, its time to get coating. Follow these simple steps to ensure a perfect finish.



TILES: Prep is key, wash the surface to remove grease and residue.



Apply 2 coats with a short pile roller, allowing 8h dry time in-between.



CUPBOARDS: Prep is key, sand thoroughly with 180 grit. Dust and wash the surface.



Apply 2 coats using a brush or short pile roller.



Finish with REFRESH Kitchen Extra Strong Varnish.



For the ultimate protection finish your kitchen projects with REFRESH Kitchen Extra Strong Varnish.

For more How-To advice visit maisondeco.uk



REFRESH YOUR KITCHEN EFFECTS PAINT

To give more character to your kitchen, the REFRESH Kitchen range offers a variety of effects including Rust, Wood and Concrete. By recreating the grain and colour of wood, REFRESH Wood Effect Paint is used to easily transform surfacs of a kitchen into a beautiful wooden finish with added texture and brightness. Apply directly without an undercoat.

CUPBOARDS, WORKTOPS & SPLASHBACKS









Step 1 : APPLY THE BASE COAT

Stir and apply 1 coat using a small brush in the direction chosen for the grain. This first step coats the surface and creates a grain. Depending on the initial colour of the surface, a second coat may be necessary. Allow 12h dry time.



Step 2 : APPLY THE TOP COAT

Stir and apply 1 coat in the same direction as the base coat. The finish is semi-transparent and will seep into the grain made by the base coat to highlight and create a wood effect.

WOOD EFFECT CHART





RUST & CONCRETE EFFECT

To give more character to your kitchen, the REFRESH Kitchen range offers a variety of effects including Rust, Wood and Concrete. Create the appearance of rust or unpolished concrete across your kitchen surfaces to inject a modern, industrial feel into your home.







Step 1 : APPLY THE BASE COAT

Stir and apply the base coat with a short pile roller. Use criss-crossing strokes and lay off. Two coats are necessary allowing 12h drying between each coat.



Step 2 : APPLY THE TOP COAT

Stir and apply the top coat in small areas with criss-cross strokes and finish by laying off. To create a more pronounced effect, don't cover the base entirely. Apply a second coat to enhance the finish to your liking.

RUST & CONCRETE CHART





REFRESH YOUR KITCHEN CONCRETE COATING

REFRESH KITCHEN & BATHROOM Coating is a new and innovative way to renovate your home.

A ready-to-use concrete effect coating that hides tiles and decorates all in one, leaving a smooth concrete finish in place. Inject the modern, industrial finish of waxed concrete into your kitchen without the investment. It is applied directly without an undercoat and is specially designed to withstand stains and scratches.

Take your kitchen renovation to the next level with this stylish solution.

WALL TILES & WORKTOPS



MASK & DECORATE WITH CONCRETE EFFECT



HIDES GROUT LINES



ULTRA-RESISTANT TO STAINS & SCRATCHES



WATERPROOF

COATING 9 kg = 4.5 m² finished (in 2 coats) VARNISH 2 x tubs 500ML = 5 m² finished (in 2 coats)





Removing dated tiles is a thing of the past, REFRESH Coating seamlessly hides grout lines and can be used to cover tiled kitchen walls, splashbacks and worktops.



KITCHEN CONCRETE COATING Application tips



Step 1 : APPLY THE BASE COAT

Fill in the grout lines using a filling knife. Press the coating on the tiling to fill and avoid excess thickness. Leave to dry for 6h.



Step 2 : APPLY THE 1ST COAT

Use the filling knife to scrape away any excess thickness. Remove any dust, then use the trowel to apply the coating on an area of 0.5 m^2 , load enough product to cover the tiling.

Smooth the fresh coating using the trowel, working from the uncovered areas toward the already painted areas. Leave to dry for 24h.



Step 3 : CREATE THE CONCRETE EFFECT

Sand down any ridges to achieve a flat and even surface. Apply a thin coat of product, making short round movements. Then press lightly with the empty trowel on the fresh coating. If the grout lines are still visible, repeat step 2. Leave to dry for 24h.



Step 4 : MANDATORY PROTECTION EXTRA STRONG VARNISH

It is essential that you protect the coating with REFRESH Extra Strong Varnish specially designed for high-usage surfaces. Please note that 2 tubs of 500ML Varnish are necessary to protect 5 m² of coating.

Detailed instructions provided under the lid of REFRESH Coating.

For more How-To advice visit maisondeco.uk

COATING COLOUR CHART









KNOW A BATHROOM IN NEED OF A REVIVAL?

IL.

MINERAL







REFRESH YOUR BATHROOM SATIN PAINT

Breathe new life into your Bathroom. Update those tired, dated tiles with just a paint brush!

REFRESH Bathroom Paint is specially designed to update tiled surfaces in heavy-use wet environments including shower stalls. Its formula creates a protective film that ensures high resistance to repeated exposure to water and changes in temperature.

Freshen up your bathroom surfaces easily without the need of an undercoat. Renovating couldn't be more simple with our Bathroom Satin Paint.



WALL TILES



Available in 10 classic colours in a subtle satin finish, REFRESH Bathroom Paint livens up any style of bathroom.

Feeling inspired to take on a Refresh project?



BATHROOM COLOUR CHART













FIND THE PERFECT COLOUR FOR YOU









BATHROOM SATIN PAINT Application tips

Once you have selected your colours, its time to get coating. Follow these simple steps to ensure a perfect finish.





Remove additive from the container under the lid.



Prep is key, wash the surface to remove any grime or residue.

Add the additive to the paint and stir for 5 min until combined.



Apply 2 coats with a short pile roller, allowing 8h dry time in-between.

For more How-To advice visit maisondeco.uk



REFRESH YOUR BATHROOM CONCRETE COATING

REFRESH KITCHEN & BATHROOM Coating is a new and innovative way to renovate your home.

A ready-to-use concrete effect coating that hides tiles and decorates all in one, leaving a smooth concrete finish in place. Inject the modern, industrial finish of waxed concrete into your bathroom without the investment. It is applied directly without an undercoat and is waterproof making it perfect for wet rooms.

Take your bathroom renovation to the next level with this stylish solution.

WALL TILES & WORKTOPS



MASK & DECORATE WITH CONCRETE EFFECT



HIDES GROUT LINES



ULTRA-RESISTANT TO STAINS & SCRATCHES



WATERPROOF

COATING 9 kg = 4.5 m² finished (in 2 coats) VARNISH 2 x tubs 500ML = 5 m² finished (in 2 coats)





Removing dated tiles is a thing of the past, REFRESH Coating seamlessly hides grout lines and can be used to cover tiled bathroom walls and tiled shower stalls.



BATHROOM CONCRETE COATING Application tips



Step 1 : APPLY THE BASE COAT

Fill in the grout lines using a filling knife. Press the coating on the tiling to fill and avoid excess thickness. Leave to dry for 6h.



Step 2 : APPLY THE 1ST COAT

Use the filling knife to scrape away any excess thickness. Remove any dust, then use the trowel to apply the coating on an area of 0.5 m^2 , load enough product to cover the tiling.

Smooth the fresh coating using the trowel, working from the uncovered areas toward the already painted areas. Leave to dry for 24h.



Step 3 : CREATE THE CONCRETE EFFECT

Sand down any ridges to achieve a flat and even surface. Apply a thin coat of product, making short round movements. Then press lightly with the empty trowel on the fresh coating. If the grout lines are still visible, repeat step 2. Leave to dry for 24h.



Step 4 : MANDATORY PROTECTION EXTRA STRONG VARNISH

It is essential that you protect the coating with REFRESH Extra Strong Varnish specially designed for high-usage surfaces. Please note that 2 tubs of 500ML Varnish are necessary to protect 5 m² of coating.

Detailed instructions provided under the lid of REFRESH Coating. For more How-To advice visit maisondeco.uk

COATING COLOUR CHART









REFRESH YOUR FLOORS SATIN PAINT

Liven up the whole look and feel of a room by refreshing your flooring.

The REFRESH Floor Paint is specially designed to renovate high traffic surfaces such as tiled, wooden or laminate flooring and stairs in your home. Its ultra-adherent, washable formula ensures that floors and stairs can withstand the intensity of everyday life.

Create impact with your next renovation project with REFRESH Floor Paint.



NO UNDERCOAT Extremely Durable



ULTRA-RESISTANT TO FREQUENT TRAFFIC



TILE, LAMINATE AND TIMBER FLOORING



² L = 12 m² finished (in 2 coats)

FLOORS & STAIRS





Available in 5 natural colours in a subtle satin finish, REFRESH Floor paint freshens up any room.

> Brighten your space with Cool White or add drama with Charcoal Black.



FLOOR SATIN PAINT Application tips



Preparation is key. Wash surface using sugar soap. Previously coated wood and laminate flooring will need a sand.



Apply 2 coats using a short pile roller on tiles or a medium pile roller on wood and laminate. Apply in criss-cross strokes and lay off. Leave to dry for 24h before walking on the surface.



FLOOR COLOUR CHART











REFRESH YOUR RADIATORS SATIN PAINT

Complete any renovation project with REFRESH Radiator Paint.

Specially designed to renovate radiators, towel rails, convector heaters and piping in your home. Its ultra-resistant formula withstands temperatures up to 120°C, forming a protective film against rust that won't yellow or flake.

Refreshing radiators is made simple with no undercoat required, plus the convenience of all colours available in an aerosol.



RADIATORS



Revive your radiators, towel rails and piping with an easy lick of paint. Keep them neutral to blend in with your overall paint scheme or create a statement piece with our Quartz finishes!



RADIATOR PAINT Application tips



SPRAY: Shake the can before use. Spray in thin layers, making large and regular s-shape movements. It is best to spray several thin layers than one thick layer to avoid run-offs. Allow 48h drying time.



BRUSH: Apply 2 coats using a short pile roller or brush, leave 12h between coats. Lay off to ensure a smooth finish. Allow 48h drying time before turning on.



RADIATOR COLOUR CHART





*Quartz finishes only available in aerosols.



REFRESH LIVEN UP YOUR HOME!

For more inspiration and How-To advice visit www.maisondeco.uk

Colours shown are as close as possible to actual paint and coating colours however the printing process can impact the finish presented. Colours and images displayed are a guide only.