



SUPERIOR WOOD PROTECTION



PRODUCT & COLOUR GUIDE



SUPERIOR WOOD PROTECTION

About Sadolin

The Sadolin range contains the very best offering in wood protection products, drawing on more than 200 years of passion and innovation to offer customers the widest range of leading woodcare solutions.

At the forefront of woodcare technology, Sadolin's seal of quality has been centuries in the making – and the brand has come a long way since its early days in the wilds of Scandinavia. When Swedish-born Jacob Holmblad founded his paint and varnish business in 1777 he dedicated himself to creating products that could withstand the harsh northern European winters. When it merged with pioneering wax colour producer, Sadolin, in 1912, the modern day product was born. Today the Sadolin portfolio offers premium quality wood treatment solutions for the modern day market, channelling years of experience and dedication into superior wood protection.

CONTENTS

PROJECTS

HELPING GUIDE YOU THROUGH YOUR WOODCARE PROJECTS



PREPARATION

PAGE 4




INTERIOR WOOD

PAGE 6



DOORS & WINDOWS

PAGE 8



DECKING

PAGE 10



GARDEN BUILDINGS,
FURNITURE & CLADDING

PAGE 12



FENCING & SHEDS

PAGE 14

PRODUCT INFORMATION

PAGE 16

Find all the information you need in our Sadolin products summary.

COLOURS

PAGE 20

Find the perfect colour for your woodwork.

HELP & ADVICE


PAGE 22

Need any help with your project? We're here to help...



1

SAND DOWN TIMBER



2

FILL ANY SURFACE CRACKS



3

BRUSH OFF DUST



4

REMOVE DIRT & GREASE
WITH METHYLATED SPIRITS

PREPARATION

PRODUCTS



CAN BE
STAINED FOR
PERFECT
COLOUR MATCH



EXCELLENT
ADHESION



PRESERVATIVE
FOR BARE
TIMBER



QUICK DRYING
PRESERVATIVE
FOR BARE
TIMBER

top tips TO PREPARE FOR YOUR PROJECT...

- After sanding, remove dust and loose fragments by dusting with a clean dry brush, and then wiping with a clean damp cloth (using Methylated spirits). Leave to dry.
- Avoid cleaning surfaces with White Spirit or wire brushes, to prevent the greasiness of White Spirit residue and the unsightly marks and rust associated with metallic fragments. Instead use Methylated spirit (often purple in colour) and a stiff nylon brush where appropriate.
- If you're using more than one batch of woodstain in the same area, mix together in a large container to ensure you get consistency of colour.
- Pay particular attention to the ends of your decking as these are 100% more absorbent than the face grain. For freshly sawn timber, a wood preserver must be used prior to staining. Seek advice in-store as to whether you are purchasing treated or untreated timber.



TRANSLUCENT

ENHANCES THE COLOUR OF WOOD



OUR MOST
VERSATILE
WOODSTAIN



QUICK DRYING



CLEAR



DURABLE FINISH
FOR WOODEN
FLOORS



DURABLE FINISH
FOR WOODWORK



TRANSLUCENT



CLEAR



OPAQUE



OPAQUE



TRANSLUCENT

ENHANCES THE COLOUR OF WOOD



- ON NEW WOOD USE CLASSIC AS BASECOAT UNDER EXTRA
- USE EXTRA ON ITS OWN FOR MAINTENANCE

FINISH THE JOB
IN ONE DAY

CLEAR



HIGHLY DURABLE
WOODSTAIN

HIGH GLOSS
VARNISH

CONTEMPORARY
MATT OR SATIN
VARNISH

OPAQUE

OBLITERATES THE COLOUR OF WOOD



10 YEAR
PROTECTION

top
tip

Opaque woodstains are very forgiving and perfect for reviving tired, blemished wood.



TRANSLUCENT

ENHANCES THE COLOUR OF WOOD



OUR MOST
VERSATILE
WOODSTAIN



FINISH THE JOB
IN ONE DAY

top tips for new & existing decking



- Brush the surface with a stiff broom to remove dirt and debris
- Bare wood needs to be cleaned/degreased by wiping with a clean lint free cloth dampened with methylated spirits
- Remove any flaking coating and grey weathered timber by mechanical sanding
- Remove any algal/mould growth from new or existing coatings with a fungicidal wash, clean with mild detergent and then rinse with clean water
- All decking to dry completely
- Decking should be inspected annually and treated as necessary

CLEAR



REPLACES
NATURAL
OILS

top tip

Pay particular
attention to the
ends grains.
Coat with wood
preserver if
freshly sawn.



EXTERIOR

TRANSLUCENT



TRANSLUCENT



GARDEN BUILDINGS, FURNITURE & CLADDING

OPAQUE



TRANSLUCENT

ENHANCES THE COLOUR OF WOOD

CLEAR



OUR MOST
VERSATILE
WOODSTAIN



FINISH THE JOB
IN ONE DAY



RETAIN THE
EXISTING
COLOUR OF
WOOD

keep the
wood
colour
you love

OPAQUE

OBLITERATES THE COLOUR OF WOOD



10 YEAR
PROTECTION

top
tip

If buying more
than one can,
mix together
to ensure
consistency
of colour.

OPAQUE



TRANSLUCENT



TRANSLUCENT



OPAQUE



TRANSLUCENT

ENHANCES THE COLOUR OF WOOD



OUR MOST
VERSATILE
WOODSTAIN



FINISH THE JOB
IN ONE DAY



5 YEAR
PROTECTION

top tip

Be liberal, especially with bare timber to satisfy the porosity of the wood. Apply plenty of product to vulnerable ends and brush in the direction of the grain.

OPAQUE

OBLITERATES THE COLOUR OF WOOD



10 YEAR
PROTECTION

top tip

For best results don't apply woodstains in direct sunlight.

OPAQUE



PRODUCT DETAIL

SADOLIN WOODFILLER

Filler for small repairs and minor surface defects.



White



Light Oak



Teak



Mahogany



TOUCH DRY: 30 MINUTES
RECOAT TIME: 2 HOURS



Scan here for more information & inspiration

SADOLIN STAINABLE WOODFILLER

Two pack filler that will stain with most woodstains and dyes.



TOUCH DRY: 15 MINUTES
RECOAT TIME: 30 MINUTES



Scan here for more information & inspiration

SADOLIN WOOD PRESERVER

Solvent Based preservative for all exterior bare/new timber.



TOUCH DRY: 2 - 4 HOURS
RECOAT TIME: 72 HOURS
water based topcoats
24 HOURS
solvent based topcoats
COVERAGE: UP TO 6m²/L



Scan here for more information & inspiration

SADOLIN QUICK DRYING WOOD PRESERVER

Water based preservative for all interior and exterior bare/new timber



TOUCH DRY: 2 HOURS
RECOAT TIME: 24 HOURS
COVERAGE: UP TO 10m²/L



Scan here for more information & inspiration

SADOLIN QUICK DRY WOODSTAIN

Rainproof in 20 minutes our water based woodstain is quick drying, durable and resists peeling, flaking and blistering. Complete the job in one day!



TOUCH DRY: 1 HOUR
RECOAT TIME: 4 - 6 HOURS
COVERAGE: UP TO 13m²/L



Scan here for more information & inspiration

SADOLIN ONE COAT WOODSTAIN

Unique time saving maintenance coat providing high performance protection.



TOUCH DRY: 4 - 6 HOURS
RECOAT TIME: 16 - 24 HOURS
COVERAGE: UP TO 15m²/L



Scan here for more information & inspiration

SADOLIN CLASSIC ALL PURPOSE WOODSTAIN

Our Most Versatile Woodstain. Sadolin Classic is an all purpose woodstain that can be used on all interior and exterior wood. Use on it's own on cladding, decking, fencing, sheds, or garden furniture, or as a basecoat to colour interior furniture and flooring or exterior doors and windows.



TOUCH DRY: 4 - 6 HOURS
RECOAT TIME: 16 - 24 HOURS
COVERAGE: UP TO 14m²/L



Scan here for more information & inspiration

USE ON ITS OWN on decking, cladding, sheds, fences and other large surface areas.



USE IN CONJUNCTION WITH other interior and exterior products to colour and protect.



SADOLIN EXTRA DURABLE WOODSTAIN

A durable finishing/maintenance coat for doors and windows. On new doors and windows use a basecoat of Classic, followed by two coats of Extra.



TOUCH DRY: 4 - 6 HOURS
RECOAT TIME: 16 - 24 HOURS
COVERAGE: UP TO 15m²/L



Scan here for more information & inspiration



BASECOAT ON NEW DOORS & WINDOWS.

PRODUCT DETAIL

SADOLIN EXTRA DURABLE CLEARCOAT

This clear woodstain contains the minimum amount of pigment possible to protect wood from UV damage and prevent greying. Available in Clear Gloss or Satin.



TOUCH DRY: 4 - 6 HOURS
RECOAT TIME: 16 HOURS
COVERAGE: UP TO 15m²/L



Scan here for more information & inspiration

SADOLIN YACHT VARNISH

A high gloss finish varnish, maintaining the natural colour of wood whilst protecting against the weather.



TOUCH DRY: 4 - 6 HOURS
RECOAT TIME: 16 - 24 HOURS
COVERAGE: UP TO 13m²/L



Scan here for more information & inspiration

SADOLIN WOODSHIELD HIGH PIGMENT WOODSTAIN

10 years protection through this self priming and undercoating formulation that penetrates and flexes with the wood to give ultimate protection.



TOUCH DRY: 2 - 4 HOURS
RECOAT TIME: 16 - 24 HOURS
COVERAGE: UP TO 10m²/L



Scan here for more information & inspiration

SADOLIN GARDEN FURNITURE STAIN & PROTECTOR

Our water based formulation protects against mould and algal growth and provides excellent weather protection.



TOUCH DRY: 2 HOURS
RECOAT TIME: 4 - 6 HOURS
COVERAGE: UP TO 14m²/L



Scan here for more information & inspiration

SADOLIN OUTDOOR VARNISH

Available in a contemporary matt or satin finish our Outdoor Varnish is a clear coating keeping doors and windows looking as natural as possible.



TOUCH DRY: 4 - 6 HOURS
RECOAT TIME: 16 - 24 HOURS
COVERAGE: UP TO 15m²/L



Scan here for more information & inspiration

SADOLIN INTERIOR STAIN

Interior woodstain with UV filters for use on all interior wood.



TOUCH DRY: 1 - 2 HOURS
RECOAT TIME: 2 - 4 HOURS
COVERAGE: UP TO 15m²/L



Scan here for more information & inspiration

SADOLIN DECKING STAIN & PROTECTOR

With added UV active technology a hard wearing finish can be achieved to make your decking look fabulous for longer.



TOUCH DRY: 2 - 4 HOURS
RECOAT TIME: 4 - 6 HOURS
COVERAGE: UP TO 15m²/L



Scan here for more information & inspiration

SADOLIN DECKING OIL

This deeply nourishing finish replaces natural oils that are lost through weathering.



TOUCH DRY: 4 HOURS
RECOAT TIME: 16 HOURS
COVERAGE: UP TO 15m²/L



Scan here for more information & inspiration

SADOLIN POLYURETHANE EXTRA DURABLE VARNISH

Water based varnish ideal for all interior woodwork, except flooring. Available in Clear Gloss, Satin or Matt.



TOUCH DRY: 1 HOUR
RECOAT TIME: 2 - 4 HOURS
COVERAGE: UP TO 12m²/L



Scan here for more information & inspiration

SADOLIN POLYURETHANE FLOOR VARNISH

Water based floor varnish ideal for all interior wood flooring. Available in Clear Gloss or Satin.



TOUCH DRY: 1 - 2 HOURS
RECOAT TIME: 2 - 4 HOURS
COVERAGE: UP TO 15m²/L



Scan here for more information & inspiration

SADOLIN SHED & FENCE WOODSTAIN


An advanced, wax enriched and non drip formulation which colours and weatherproofs rough sawn sheds and fences for up to 5 years and is showerproof in just 30 minutes



TOUCH DRY: 1 - 2 HOURS
RECOAT TIME: 4 - 6 HOURS
COVERAGE: UP TO 6m²/L



Scan here for more information & inspiration





Ready mixed shades available in the following ranges:

Sadolin Classic All Purpose Woodstain

Sadolin Extra Durable Woodstain

Sadolin Quick Dry Woodstain

Sadolin One Coat Woodstain



Natural
CEQO

Light Oak
CE

Heritage Oak
CE

Antique Pine
CEQO

Burma Teak
CEQ



African Walnut
CE

Redwood
CEQ

Mahogany
CEQO

Teak
CEQO

Rosewood
CEQO



Jacobean Walnut
CEQO

Dark Palisander
CE

Ebony
CEQO

C available in Classic
E available in Extra
Q available in Quick Dry
O available in One Coat



Sadolin Woodshield High Pigment Woodstain




White

Black

Mahogany



Sadolin Shed & Fence Woodstain



Cedar Red

Sylvan Glade

Woodland Walk

Grey Shadow

Ebony Wood



Sadolin Garden Furniture Stain & Protector



Golden Oak

Warm Teak

Natural Cedar



Sadolin Decking Stain & Protector



Natural

Golden Brown

Red Cedar

Teak

Ebony



Sadolin Interior Stain



Antique Pine

English Oak

Mahogany

Teak

HELP & ADVICE

WHY ARE WOOD COATINGS NEEDED?

The purpose of a woodstain or varnish is to form a protective barrier to defend wood from the adverse effects of weather and everyday wear and tear. After the bark has been removed from a tree, its natural protection has been lost and a coating is needed to restore this barrier. Despite being one of nature's most utilised materials, wood has many enemies, water damage, UV damage, changing temperatures, and the knocks and bumps that come as part of day to day life. While protecting the wood from these elements, woodstains and varnishes also help to maintain the appearance and extend the life of your doors, windows, decking and garden furniture.



WHAT IS A WOODSTAIN?

A woodstain is generally coloured and protects wood by penetrating deep into the surface to provide both colour and protection. Both opaque and translucent woodstains are available depending on how you want the end result to look and also the condition of your timber.



WHAT IS A VARNISH?

Traditionally used inside the home a varnish coating sits on top of the wood surface, and are typically clear with no pigment content at all. They can be used on their own to maintain the current colour of the wood surface and depending on whether you choose a matt, satin or gloss finish they can also be used to maintain the aesthetic finish of the wood as well. Due to the film building being on top of the surface varnishes are more protective than penetrating and therefore are more hardwearing and tough against scratches and general wear and tear.



WHAT IS TRANSLUCENT?

A translucent or semi-transparent coating does not obscure the wood surface and will allow the timber features to be seen. They are used to highlight wood's natural beauty.



WHAT IS OPAQUE?

An opaque finish will obliterate all colour and patterns from the surface beneath. It will generally provide a uniform colour, and is ideal for hiding blemishes and imperfections. Due to the pigmentation of the coating it should also last longer than translucent coatings.




WE'RE HERE TO HELP...

OUR WEBSITE



sadolin.co.uk

More inspiration and advice is available on our website.



PRODUCT VIDEOS



SadolinWoodcare

Visit our YouTube channel or scan QR codes within this card for individual product videos.




FOLLOW US



Sadolin UK



Sadolin_UK




ADVICE CENTRE

Our **SADOLIN ADVICE CENTRE** can help with all your technical queries.



0330 024 0298

Monday – Friday: 8:30am – 5:30pm





SUPERIOR WOOD PROTECTION



Crown Paints Limited, PO Box 37, Crown House,
Hollins Road, Darwen, Lancashire BB3 0BG
Tel: 01254 704951

Crown Paints Ireland Ltd
Malahide Road, Coolock, Dublin 17
Tel: 01 816 4400

Due to print limitations, the colours shown in this colour guide may not match exactly with the end result. Crown Paints Ltd, cannot be held responsible for any variations between product and swatches shown.

Please check for colour accuracy prior to application. Crown Paints is not liable for decorating costs caused as a result of an incorrect colour being applied. In line with our policy of continuous improvement, Crown Paints Ltd reserves the right to alter product specification without notice. Some colours in some finishes may require additional coats to give complete obliteration.

Sadolin, the Sadolin logo and all the colours marked ® or ™ are trade marks owned by or licensed to Crown Brands Ltd.



FM 543424

ISO 9001



6055533