

CERTIFICATE OF ANALYSIS

Ref: SOP/QA/001/0

| | | | |
|---|----------------------------------|------------------------|------------|
| Product Name | Pureis® 10mg capsules | Manufacturer BN | 104285 |
| Certificate Number for Cannabinoid Testing & date | AR-20-CC-503677-02 02/11/2020 | Expiry Date | 30/09/2022 |
| Certificate Number for Microbiology Testing & date | AR-20-CC-143898-01 02/11/2020 | Date | 12/07/2021 |

| TESTS | RESULTS | SPECIFICATIONS | OBSERVATIONS |
|---|--------------|-------------------------------------|--------------|
| CANNABINOID TESTING | | | |
| Cannabidiol (CBD) | 6.0049% | 10 mg / capsule (5.0 % to 7.5 %) | Complies |
| Total Tetrahydrocannabinol (THC) | Not detected | NMT 0.2% | Complies |
| MICROBIOLOGY ANALYSIS | | | |
| Microbial Limits | | | |
| a. TAMC (<i>Total aerobic microbial Count</i>) | Complies | NMT 2000 CFU/g | Complies |
| b. TYMC (<i>Total Combined Yeast & Mould Count</i>) | Complies | NMT 200 CFU/g | |
| Salmonella | Complies | Absent/10g | |
| Staphylococcus aureus | Complies | Should be Absent/g | |
| Absence of Escherichia coli (1 g or 1 ml) | Complies | Should be Absent/g | |

This batch has been tested by an external testing laboratory which is accredited in accordance with the recognised International Standard ISO/IEC 17025:2017 as awarded by the UKAS (United Kingdom Accreditation Service).
Limit of quantification for Cannabinoid Testing is 0.0025% any result under this limit is Not Detected.
Microbiology analysis: cfu = colony forming units <10 cfu/g any result under this limit is Not Detected.
Microbiology analysis acceptable limits as set by the current European Pharmacopoeia Monograph 2.6.12 & 2.6.13.
Certificate Codes: can be provided upon request.

The undersigned hereby certifies the following data transcribed to be a true specification results of the obtained by the external testing laboratory results.

Chanelle McCoy Health
Responsible Person:



Caroline Glynn
B.Sc., MSc., L.LM
Co-Founder & CSO