

CERTIFICATE OF ANALYSIS

Ref: SOP/QA/001/0


Product Name	Pureis® 20mg Capsules	Manufacturer BN	106875
Certificate Number for Cannabinoid Testing & date	AR-20-CC-503676-02 08/11/2020	Expiry Date	30/11/2022
Certificate Number for Microbiology Testing & date	AR-20-CC-145460-01 08/11/2020	Date	12/07/2021

TESTS	RESULTS	SPECIFICATIONS	OBSERVATIONS
CANNABINOID TESTING			
Cannabidiol (CBD)	11.2193%	20 mg / capsule (10 % to 15 %)	Complies
Total Tetrahydrocannabinol (THC)	Not detected	NMT 0.2%	Complies
MICROBIOLOGY ANALYSIS			
Microbial Limits			
a. TAMC (<i>Total aerobic microbial Count</i>)	Complies	NMT 2000 CFU/g	Complies
b. TYMC (<i>Total Combined Yeast & Mould Count</i>)	Complies	NMT 200 CFU/g	
Salmonella	Complies	Absent/10g	
Staphylococcus aureus	Complies	Should be Absent/g	
Absence of Escherichia coli (1 g or 1 ml)	Complies	Should be Absent/g	

This batch has been tested by an external testing laboratory which is accredited in accordance with the recognised International Standard ISO/IEC 17025:2017 as awarded by the UKAS (United Kingdom Accreditation Service). Limit of quantification for Cannabinoid Testing is 0.0025% any result under this limit is Not Detected. Microbiology analysis: cfu = colony forming units <10 cfu/g any result under this limit is Not Detected. Microbiology analysis acceptable limits as set by the current European Pharmacopoeia Monograph 2.6.12 & 2.6.13. Certificate Codes: can be provided upon request.

The undersigned hereby certifies the following data transcribed to be a true specification results of the obtained by the external testing laboratory results.

Chanelle McCoy Health
Responsible Person:



Caroline Glynn
B.Sc., MSc., L.LM
Co-Founder & CSO